

SO LIGHT! SO EASY TO USE! - REX ADVANCED ROLLER SYSTEM -

**Light, precise cutting of thin wall stainless steel (INOX)
pipe attracts the piping world's attention.**

RB TUBE CUTTER

$\phi 3 - \phi 70$

Ball bearings make the difference!

Great cuts with the greatest of ease!

High-quality radial ball bearings enable REX RB tube cutters to cut with less effort than any previous models.

Give them a try and see just how easy it is!

Replace the blade with an SUS pipe blade and they can even cut thin wall stainless steel pipes.

* SUS pipe replacement blades for Models 30, 42 and 67 sold separately.



Rollers with radial ball bearings (Model N67P)



RB22
425122
 $\phi 3 - 22$
For
copper
tube



N28
425128





N30P 427830



N42P 427842

N67P 427867

Code No.	Model	Capacity (outside diameter) mm	Half Diameter of rolling mm	Length mm	Weight g	Number of Bearings	Applicable pipe				
							Copper tube	Coated copper tube	Thin wall stainless steel pipe	PE tube	English Package
425122	RB22	3 - 22	43	57	130	5	☉				
427128	RBN28	4 - 28	60	93	175	8	☉				
427228	RBN28S							☉			
427830	RBN30P	5 - 34	132	150	350	8	☉	☉			☉
427630	RBN30S							☉		☉	
427842	RB4N2P	6 - 42	150	180	400	8	☉	☉			☉
427642	RBN42S							☉		☉	
427342	RBN42M *							☉			
427867	RBN67P	6 - 70	222 - 250	330	870	14	☉				☉
427667	RBN67S		223 - 251					☉		☉	
427467	RBN67PE		253 - 257						☉		
427367	RBN67M *						12		☉		

* : grooving tool

SPARE CUTTER WHEELS and ROLLER (with Bearings)



		Use	Code No.	For use with	English Package
Cutter wheels		Copper tube only	424241	RB22	
			424231	RBN28/RB28	
			424232	RB30/RB42	
			424234	RB67	
		Copper tube and Coated copper tube	424242	RB30miniP	
			424292	RBN30P/RBN42P RBN67P RB30P/RB42P	○
		PE tube	424236	RB67PE	
			424245	RBN67PE	
		Thin wall stainless steel pipe	424240	RBN28S/RB28S RB30miniS	
			424284	RBN30S/RBN42S RBN67S RB30S/RB42S	○
424286			RB67S	○	
Roller		Thin wall stainless steel pipe (grooving)	424238	RBN42M/RB42M	
			424239	RBN67M/RB67M	

● Functions

Designed to produce the finest cut possible!

REX RB Tube cutters offer a whole new level of performance. Rotating more easily than any cutter before, they make cutting a dream!

Use less energy than ever!

Physical strength is no longer a requirement for efficient cutting, so just about anyone can use them.

Five sizes, 12 models to suit practically any job

REX offers you a choice of 12 models for pipes ranging from 3 mm to 70 mm in diameter.



Fig. 1

● Performance

High-performance bearings

High-performance bearings are used in both the roller and blade, so the cutter turns easily with only slight force even with the cutting load applied.

Ideal for copper or thin wall stainless steel pipes

Replacing the blade allows you to use the cutter for cutting thin-walled stainless steel pipes and, in the case of the Model N67PE, polyethylene (PE) pipes. (Replacement blades sold separately)

Improved cutting performance

The use of ball bearings not only reduces cutting resistance but also dramatically improves cutting accuracy, the most important factor determining the quality of the finished cut.

● Design

Reflecting REX' commitment to top performance

The new cutters combine REX' commitment to making easy-to-use tools with a revolutionary new cutter design, determined by analyzing work tasks from the standpoint of ergonomics. The ergonomic design is designed to fit the hand perfectly, making it easy to use and preventing fatigue even during successive cutting operations.

● Ease of use

Universal design makes them easy for anyone to use

This new range of cutters requires only half the cutting force of previous models and can be used to cut even short pipes that cannot be cut with conventional pipe cutters. The new range enables even inexperienced operators and those without great physical strength to make perfect cuts with minimum effort.



Bearings Fig. 2



Ergonomic design
Fig. 3



Cutting a short pipe Fig.
4

Supplied with blister case



N30P
427830



N30S
427630



N67P
427867



N67S
427767